
# ARCHIVED REPORT

For data and forecasts on current programs please visit www.forecastinternational.com or call +1 203.426.0800

# **TPN-31 ATNAVICS/FPN-67 FBPAR**

### **Outlook**

- While production of the TPN-31 and FPN-67 is expected to end in 2010, the Army and Marine Corps continue to spend money on spares and upgrades
- Production of the TPN-31/FPN-67 continues, with a contract awarded in August 2006
- Procured for U.S. Army and Marine Corps field and fixed installations; U.S. Air Force is choosing a different system



### Orientation

**Description.** The TPN-31(V) Air Traffic Navigation, Integration and Coordination System (ATNAVICS) is a Radar Approach Control (RAPCON) and landing system. It is mounted on two HMMWVs and can be transported by a single C-130 to support operations in remote locations with no infrastructure. The FPN-67 Fixed-Base Precision Approach Radar (FBPAR) is the same radar installed in a fixed shelter.

#### Sponsor

U.S. Army
Army Communications-Electronics Command
(CECOM)
C<sup>4</sup>IEW Acquisition Center
Ft. Monmouth, NJ 07703-5000
USA
Tel: + 1 (201) 532-2534

Web site: http://www.monmouth.army.mil

**Status.** In production, ongoing logistics support.

**Application.** Air traffic control at frontline battlefield locations and fixed-base facilities. It replaces the TSQ-71B.

**Price Range.** The price of a single TPN-31 ranges from \$6 million to \$9 million, depending on installation and ancillary equipment/requirements. The price of a single FPN-67 ranges between \$4 million and \$7 million.

## **Contractors**

### **Prime**

Raytheon Airspace Management and Homeland Security

http://www.raytheon.com/businesses/rncs/businesses/amhs/, 1001 Boston Post Rd, Marlborough, MA 01752 United States, Tel: + 1 (508) 490-3045, Fax: + 1 (508) 490-3322, Email: Robert\_W\_Meyer@res.raytheon.com, Prime

Page 2 Radar Forecast

#### **TPN-31 ATNAVICS/FPN-67 FBPAR**

Comprehensive information on Contractors can be found in Forecast International's "International Contractors" series. For a detailed description, go to www.forecastinternational.com (see Products & Samples/Governments & Industries) or call + 1 (203) 426-0800.

Contractors are invited to submit updated information to Editor, International Contractors, Forecast International, 22 Commerce Road, Newtown, CT 06470, USA; rich.pettibone@forecast1.com

### **Technical Data**

**Metric** U.S. Characteristics 2 to 4 GHz - Surveillance Frequency range 1,030 and 1,090 MHz - Secondary Surveillance 9 to 9.2 GHz - Precision To 10,000 ft ASR elevation coverage To 3,048 m ASR azimuth coverage 360 deg ASR & SSR PAR Antenna elevation coverage -1 deg to +8 deg PAR azimuth coverage ± 15 deg Range Primary/secondary radar 46.3 km 25 nm Precision approach 10 nm 18.5 km Helicopter minimums Ceiling 30.4 m 100 ft Visibility 463.5 m 0.25 nm Fixed-wing minimums 200 ft Ceiling 61 m Visibility 926.6 km 0.5 nm ASR: 90% (3 m<sup>2</sup> target @ 25 mi in rain) Probability of detection SSR 99% (@ 25 nm in rain) PAR 90% (1 m<sup>2</sup> target @ 10 nm in rain) Update rate 4 sec ASR 1 sec PAR 90% (1 m<sup>2</sup> target @ 20 nm) **MTBCF** >980 hr 30 min **MTTR** System availability 98% Video Normal (unprocessed) MTI (processed) Display Straight line presentation Variable range 2 to 20 nm, 1/4-nm increments Glide slope Azimuth markers Range marks Enhanced range marks Lower safe limit cursors Adjustable target size Independent operation of surveillance and precision modes Other requirements Integrated positive friendly identification Ability to distinguish small aircraft at low altitudes from ground clutter and adverse weather

Self-contained communications

Operator simulator training capability

Minimal crew requirement for setup and operation

Rapid setup

**Design Features.** The TPN-31 ATNAVICS system provides key air traffic services at U.S. Army terminal airfields and landing sites. The transportable TPN-31(V) is mounted on two High Mobility Multipurpose Wheeled Vehicles (HMMWVs) and two trailers

in order to provide rapid-response air traffic control services at tactical landing sites.

ATNAVICS is a fully autonomous, ICAO compliant Radar Approach Control (RAPCON) system. With a

#### **TPN-31 ATNAVICS/FPN-67 FBPAR**

simplified setup, reliable operation, and sturdy enclosures, the system can withstand the most demanding environments, and is ideally suited to rapid deployment anywhere in the world. ATNAVICS is contained in two four-wheel drive HMMWVs and two towed power generator trailers. The vehicles, and hence the system, are airliftable by fixed-wing or rotary-wing aircraft (such as the C-130 or CH-47) and can be rapidly deployed to forward airstrips. It can be set up in less than 60 minutes with just three people.

The system is made up of an S-band air surveillance radar, an L-band secondary surveillance radar/Identification Friend or Foe system, and an X-band precision approach radar, along with Raytheon's AutoTrac air traffic management system. The system provides full surveillance out to 25 nautical miles and precision approach coverage out to 10 nautical miles in all weather conditions. The system architecture is flexible and can be modified to meet other applications.

Advanced display automation software and secure ground-to-air/ground-to-ground communications and precision approach radar were developed to provide the needed information for controlling and landing all fixed- and rotary-wing aircraft within a 25-nautical-mile radius. In addition, the use of secondary surveillance radar data can extend the system's surveillance range out to 60 miles. It can interface with the National Airspace System (NAS), as well as with Forward Area Air Defense (FAAD) systems, to provide a truly integrated battlefield air traffic management system.

The FPN-67(V) fixed-base precision radar can be installed at terminal airfields. It incorporates a remote automation system in which six air traffic control (ATC) operator positions can be located up to 35,000 feet from the unmanned radar units. The FBPAR system can provide traffic control and landing services at Army fixed airfields, and shares common equipment, such as modules and line replaceable units (LRUs), with the transportable version, since the components are built on the same production line.

Developed in conjunction with ATNAVICS and using the same hardware and software, the FBPAR provides a transportable precision aircraft control system where rapid mobility is not required. FBPAR uses a pedestal-mounted antenna that rotates to cover six predetermined runway approaches and a standard ISO container to house the PAR electronics. Remote controller displays can be located up to 35,000 feet away.

The precision approach radar features a phased-array antenna that uses I-band monolithic microwave integrated circuits identical to those provided for the U.S. Army ground-based radar.

The surveillance radars are based on off-the-shelf, solidstate ATC sensors in service with international customers. Second- and third-generation NDI/COTS subsystems mounted in ruggedized enclosures were part of a cost-effective design solution that would both meet performance requirements and be able to operate in various environmental conditions worldwide.

**Operational Characteristics.** The ATNAVICS provides air traffic control and precision approach control capabilities at frontline battlefield locations or fixed-base airfields. It provides departure, approach, and landing services for helicopters and fixed-wing aircraft in both good and adverse weather conditions. The system enables operators to establish separation, sequencing, and IFR/GCA landing operations at unprepared field locations. The fixed-base version will be installed at established Army air fields.

The system is transportable in a single C-130 and can be set up in less than 60 minutes by a crew of four. It eliminates the tedious survey work necessary to properly site current equipment, and is designed to be self-sited accurately and quickly using reflectors set up along the landing strip. The TPN-31(V) can be slung-carried by CH-47 helicopters.

Continuous on-line monitoring and extensive built-in fault monitoring quickly isolate and identify failed LRUs, improving reliability.

Page 4 Radar Forecast

### **TPN-31 ATNAVICS/FPN-67 FBPAR**



TPN-31(V)
Source: Raytheon Co

## Variants/Upgrades

**FPN-67(V).** This is a fixed-base version of the radar for use in aircraft recovery operations during adverse weather at Army airfields.

**TPN-31(V).** This is the tactical version of the precision approach radar for installation at Army and other airfields.

## **Program Review**

In 1988, the U.S. Army announced plans to upgrade the air traffic control systems used at both fixed-base and forward locations. The new equipment replaced the TSQ-71B Landing Control Central used at Army airfields and landing areas at the echelon above corps, corps and division levels. The FBR-67(V) replaced the GPN-22(V), FPN-40(V), CR-62, and FPN-63(V).

In June 1993, the Army announced its intention to meet the ATNAVICS and FBPAR requirements with a non-developmental item (NDI) acquisition using a dedicated engineering effort to integrate proven components into ATNAVICS and FBPAR configurations, and to adapt/modify software in order to ensure that the total system meets established requirements with minimum risk and cost.

The transportable TPN-31(V) and FPN-67(V) fixed-base systems were developed to capitalize on state-of-the-art technology in order to provide equipment that can be readily moved to new battlefields or frontline locations.

#### RFP Released

A Request for Proposals was issued in March 1994, and in May 1995, CECOM awarded Raytheon a preproduction contract to provide one ATNAVICS and one FBPAR system to the U.S. Army Aviation Systems

Command by April 1997. The contract included options for an additional 63 systems to be produced from 1997 to 2003.

In September 1998, Raytheon completed demonstrations that included flight testing the ATNAVICS radar coverage, accuracy, resolution, detection, and tracking. Testing was performed at the Raytheon test facility in Bedford, Massachusetts, adjacent to the active runways at Hanscom AFB. It used aircraft scheduled as part of the test, as well as "targets of opportunity" (aircraft flying in the area of the radar that were not scheduled to be part of the test).

### FAA Certification Received

As part of the demonstration, the Federal Aviation Administration performed a flight inspection of the precision approach radar using FAA aircraft and found its performance met or exceeded all requirements. This FAA flight check validated the equipment to be commissioned into formal air traffic control service. FAA flight certification was issued in December 1999.

The Army has begun a series of modernization efforts for ATNAVICS that will run through FY11. Upgrades will add the capability to interface with other ATC equipment and Army systems. Integration of the Air Defense Integrator will make it possible for

### **TPN-31 ATNAVICS/FPN-67 FBPAR**

Page 5

ATNAVICS to share data with field artillery and air defense systems. Ultimately, ATNAVICS will feed positioning and identification data on friendly air vehicles (fixed-wing, rotary-wing, and UAVs) into the Single Integrated Air Picture (SIAP) for improved situational awareness, track continuity, airspace deconfliction, and fratricide prevention.

In August 2006, Raytheon was awarded a contract with a potential value of \$200 million for 30 TPN-31s and 9 FPN-67s. This follows an initial contract in which

Raytheon provided the U.S. Army with 24 ATNAVICS and 18 FBPAR systems. Under the new procurement, the U.S. Navy and U.S. Marine Corps plan to procure 12 ATNAVICS for Marine Expeditionary Force use.

The U.S. Army continues to spend money on spares and upgrades for its TPN-31 and FPN-67 radars. In November 2007, the Army released a solicitation for spare parts for the two systems. The solicitation notice also stipulates that changes to the existing software may be needed.

## **Contracts/Orders & Options**

Contractor Raytheon	Award (\$ millions) 20.8	<u>Date/Description</u> Apr 2002 – Option to a previously awarded contract for production of two TPN-31(V) ATNAVICS and six FPN-67(V) FBPAR systems.
Raytheon	16.9	Mar 2003 – Mod to FFP contract for three Air Traffic Control and Landing Systems (ATCALS) and six fixed-base precision approach radar systems. Completed Apr 2004. (DAAB07-95-C-B001)
Raytheon	2.1	Sep 2003 – Contract for production of spare parts. (NDAAB07-95-C-B001)
Raytheon	200	Aug 2006 – Contract to provide the U.S. Army and Marines with 30 TPN-31s and nine FPN-67s. Currently, \$36 million has been awarded for four TPN-31s. The contract is expected to be completed by 2011.

## **Timetable**

<b>Month</b>	<u>Year</u>	Major Development
Sep	1988	Draft Operational and Organizational Plan released
Sep	1991	Operational and Organizational Plan approved
Sep	1992	Draft specification
Mar	1993	RFP announced
Apr	1995	Pre-production development contract awarded
Apr	1997	Pre-production development scheduled for completion
Sep	1998	Flight test demonstration, FAA certification
Oct	1998	First delivery planned
Dec	1999	FBPAR flight tests completed
2-4Q	FY99	ATNAVICS developmental/operational testing completed
3-4Q	FY99	Close out of ATNAVICS EMD, transition to production
Mar	2000	Milestone III production decision
1Q	FY02	Start of P <sup>3</sup> I
	2005	Production ends
2Q-4Q	FY07-11	Modernization

## **Worldwide Distribution/Inventories**

This is currently a **U.S.**-only program. International interest is possible, but strong competition from Euro-produced systems will impact marketing.



Page 6 Radar Forecast

### **TPN-31 ATNAVICS/FPN-67 FBPAR**

### **Forecast Rationale**

A contract awarded to Raytheon in 2006 breathed new life into the TPN-31/FPN-67 program. Prior to the award, production had been expected end. With the contract, production is now expected to continue through 2010.

### Systems Serve U.S. Army and Marines

Other than the Army and the Marine Corps, no service has expressed interest in the system. The U.S. Air Force is using its MPN-25 MACS to fill a similar role. Internationally, competition in this market is fierce. Although Foreign Military Sales are possible, no nation

outside the U.S. has openly expressed interest in the system.

While production of the TPN-31 and FPN-67 is expected to end in 2010, the Army and Marine Corps continue to spend money on spares and upgrades. These systems will continue to serve the U.S. military for the foreseeable future and will generate a number of contracts for spare parts and maintenance.

Through 2010, 20 TPN-31s and six FPN-67s are expected to be produced. At this time, it is believed that the U.S. military will accept all options.

## **Ten-Year Outlook**

ESTIMATED CALENDAR YEAR UNIT PRODUCTION												
Designation or F	High Confidence				Good Confidence			Speculative				
	Thru 2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	Total
Raytheon Airspace Management and Homeland Security												
FPN-67 <> United	FPN-67 <> United States <> Army and Marine Corps											
	21	2	2	2	0	0	0	0	0	0	0	6
TPN-31 <> United States <> Army and Marine Corps												
	34	8	8	4	0	0	0	0	0	0	0	20
Subtotal	55	10	10	6	0	0	0	0	0	0	0	26
Total	55	10	10	6		0					0	26